

PRODUCT HIGHLIGHTS

- Excellent trafficability with width of 1.50m.
- Aluminum alloy platform for easy disassembly.
- Full proportional joystick control.
- Powered by battery, environment-friendly.

NAB13EJ

11m

Electric Articulating Boom Lifts




Technical parameters



Model	NAB13EJ
Specifications	
Max. Working Height	12.5m
Max. Platform Height	10.5m
Max. Up and Over Clearance	4.65m
Max. Working Radius	7.15m
A Platform Width	0.7m
B Platform Length	1.2m
C Height-Stowed	2.0m
D Length-Stowed	5.6m
E Width	1.5m
F Wheelbase	1.95m
Ground Clearance-Center	0.14m
Standard container transportation	
Productivity	
Max. Lift Capacity	200kg
Platform Occupancy	2
Platform Rotation	±80°
Turntable Rotation	355°
Vertical jib Rotation (up/down)	±70°
Drive Speed - Stowed	5.0km/h
Gradeability-Stowed	35%
Max. Working Angle	3°
Turning Radius (outside)	3.23m
Drive and Steer	2x2
Weight	5000kg
Tire	22 x 7 x 17
Power	
Battery	48V/320Ah
Control Voltage	24V
Pump Power	4kw
Drive Motor	3.3kw
Charger	48V/35A
Hydraulic Tank	20L
Emergency Power System	24V
Optional	
LFP Battery	Optional
Solid Non-marking Tires	Optional

11m Electric Articulating Boom Lifts



Working Range of 11m Electric Articulated Boom Lifts

